

## SHIP TO:

Wilson Combat  
Attn. 1911 Custom Work  
2452 CR 719  
Berryville, AR 72616

---

## HOW TO:

Please send this form, with your firearm, to the address listed above. We will not process form alone. We will call you to discuss all options and to let you know your firearm arrived safely. Please note it can take a day for your firearm to make it through our log in and receiving procedure. On the form, please check the circle to the left of the items or package you would like to select, and fill in the optional questions if applicable.

## TERMS:

- \* We will not work on firearms that have been previously modified by anyone other than the Wilson Combat Custom Shop.
- \* We will not work on 1911s with barrels shorter than 4" (Except for Wilson Combat Sentinel Models)
- \* Any and all work performed is up to the discretion of the Custom Shop Manager.
- \* Please do not send items not necessary for custom work. Example: Gun rugs or cases, bushing wrenches, magazines, etc.
- \* All weapons left in care of the shop are done so at your own risk.
- \* Due to Federal Regulations - customers' firearms must be returned to the address from which they were received.
- \* If you have a change of address, written request for such change is required.
- \* If your firearm is shipped from an FFL dealer, it must be returned to the same FFL dealer.
- \* Minimum Custom Work order is \$100. If work requested is under this amount, the invoice will be adjusted accordingly.
- \* If your firearm is being customized in a way that includes machining or mill work then you are required to purchase a refinish.
- \* Quoted lead times on custom work are approximations. We do our best to adhere to time frames but with all true firearm customizations, these times can vary. Please be patient while your custom work is completed as we are working diligently.
- \* We will perform custom gunsmithing work on most of the following manufacturer's 1911 Pistols:  
Colt, Dan Wesson, Ed Brown, Kimber, Les Baer, Remington, Ruger, Sig Sauer, Smith & Wesson, Springfield.

**CUSTOMER NAME:** \_\_\_\_\_ **EMAIL:** \_\_\_\_\_

**ADDRESS:** \_\_\_\_\_ **CITY:** \_\_\_\_\_

**STATE:** \_\_\_\_\_ **ZIP CODE:** \_\_\_\_\_ **PHONE:** \_\_\_\_\_

**CREDIT CARD NUMBER:** \_\_\_\_\_ **CVC:** \_\_\_\_\_ **EXP DATE:** \_\_\_\_\_

**1911 MODEL:** \_\_\_\_\_ **SERIAL NUMBER:** \_\_\_\_\_



# WC 1911 TUNE-UP PACKAGES

Wilson Combat Pistols Only For Package Work

## PACKAGE #1 - \$150

Includes: Overall Inspection for Functionality, Complete Disassembly, Clean, Replace Springs, Lubricate. [Wilson Combat Pistols Only](#)

## PACKAGE #2 - \$350

Includes: All The Services in Package #1, Check All Safety Functions for Proper Operation, Disassemble and Inspect All Parts for Excessive Wear/ Broken Parts, Inspect Barrel Throat for Proper Support, Inspect Barrel Bore for Excessive Wear or Rings from Squib Loads, Check Extractor Tension and Adjust if Necessary, Check Ejector to Make Sure it is Tight in the Frame and Check Nose Condition, Check Trigger for Crispness/Weight and Proper Function, Check Condition of Grip Screws and Replace if Necessary, Make Sure Grip Screw Bushings are Tight and Loctite and Re-stake Them as Necessary, Make Sure Sights are Tight and That the Tritium Glows if Equipped with Tritium Sights, Check and Replace Rear Sight Set Screw if Needed or Condition of Elevations Screw on 428 Sight, Inspect Mag Tubes and Re-build All Original Supplied WC Mags with New Spring/Follower/Base Pad, Complete Test-fire/Sight-in. [Wilson Combat Pistols Only](#)

## PACKAGE #3 - \$550

Includes: All Services Provided in Package #2, Refinish on Stainless, Blued, or Armor-Tuff® Guns. [Wilson Combat Pistols Only](#)

**\*NOTE:** The prices on this page include return shipping  
**Wilson Combat pistols only** for the tune up packages.  
Mag rebuilds include 3 mags for the regular  
models and 6 mags for supergrades.





# À LA CARTE

## SAFETIES \*PRICES INCLUDE SAFETY AND INSTALLATION

	\$
○ HC-6BNBP	75
○ HC-6SNBP	85
○ HC-6BLLBP	75
○ HC-6SLLBP	85
○ HC-659B	75
○ HC-659S	85
○ HC-192BBP	160
○ HC-192SBP	170
○ HC-620BP	170
○ HC-620SBP	180
○ HC-298BBP	165
○ HC-298SBP	175
○ HC-885B	165
○ HC-885S	175
○ HC-563B	165
○ HC-563S	175
○ HC-429BG	60
○ HC-429SG	65
○ HC-429BC	60
○ HC-429SC	65
○ HC-704B	165
○ HC-704S	175

## TRIGGER WORK

	\$
○ HC-010	250
○ HC-011	275
○ HC-337B	100
○ HC-337S	110
○ HC-337BC	110
○ HC-337SC	115
○ HC-299B	100
○ HC-299S	100
○ HC-TR	110

Trigger Options: Short, Medium, Long, Long No Hole, Flat, Gold Cup, Gold Cup No Hole



# À LA CARTE

## BARREL INSTALLATION AND SLIDE TO FRAME FIT

	\$
○ HC-012	175
○ HC-RCF	75
○ HC-CALCONV	450
○ HC-33D	280
○ HC-33WDT	310
○ HC-33G	330
○ HC-35	340
○ HC-33C	330
○ HC-33WDTC	310
○ HC-33DTR-10	350
○ HC-33DFR-40	350
○ HC-33DSR	350
○ HC-33DPR	350
○ HC-33DPRC	350
○ HC-33DSRC	350
○ HC-WDT-10	310
○ HC-CCBL	375
○ HC-FLANGEBBL	450
○ HC-SRU	440
○ HC-29S	50
○ HC-588	60
○ HC-29SC	50
○ HC-619	60
○ HC-397	110
○ HC-397S	115
○ HC-030	65
○ HC-032	40
○ HC-035	65
○ HC-RCB	45
○ HC-XB	75
○ HC-SFB	75

## MISC SLIDE WORK

	\$
○ HC-399B,70	25
○ HC-399S,70	27
○ HC-399B,80	25
○ HC-416,45	16
○ HC416,38	16
○ HC-336	45
○ HC-702CS	6
○ HC-023	100
○ HC-CSCCF	175
○ HC-029	75
○ HC-031	80
○ HC-036	75
○ HC-037	175
○ HC-LONGSLIDE	850
○ HC-80CON70	70



# À LA CARTE

## BASIC RELIABILITY WORK

	\$
<input type="radio"/> HC-013 //	Complete Reliability Package*, 70 Series 200
<input type="radio"/> HC-014 //	Complete Reliability Package*, 80 Series 150
<input type="radio"/> HC-017 //	Lower and Flare Back Ejection Port, 70 or 80 Series 75
<input type="radio"/> HC-415.70 //	Extractor, 70 Series, .45 ACP, Bullet Proof®, Blue 60
<input type="radio"/> HC-415.70S //	Extractor, 70 Series, .45 ACP, Bullet Proof®, Stainless 65
<input type="radio"/> HC-415.80 //	Extractor, 80 Series, .45 ACP, Bullet Proof®, Blue 60
<input type="radio"/> HC-415.80S //	Extractor, 80 Series, .45 ACP, Bullet Proof®, Stainless 65
<input type="radio"/> HC-415.S70 //	Extractor, 70 Series, .38 Super/9mm, Bullet Proof®, Blue 60
<input type="radio"/> HC-415.S70S //	Extractor, 70 Series, .38 Super/9mm, Bullet Proof®, Stainless 65
<input type="radio"/> HC-415.S80 //	Extractor, 80 Series, .38 Super/9mm, Bullet Proof®, Blue 60
<input type="radio"/> HC-415.S80S //	Extractor, 80 Series, .38 Super/9mm, Bullet Proof®, Stainless 65
<input type="radio"/> HC-WBPE //	Extra Fitted and Finished Extractor 70
<input type="radio"/> HC-WBPECH //	Extra Fitted and Finished Extractor - Serrated or Checkered Rear of Slide 120
<input type="radio"/> HC-019 //	Polish Feed Ramp / Throat Barrel 55
<input type="radio"/> HC-34 //	Extended Ejector, .45 ACP, Blue 40
<input type="radio"/> HC-34SS //	Extended Ejector, .45 ACP, Stainless 45
<input type="radio"/> HC-34S //	Extended Ejector, .38 Super/9mm, Blue 45
<input type="radio"/> HC-34W //	Extended Ejector, Wilson Combat Bullet Proof® Single Post, Includes Machining Frame 100
<input type="radio"/> HC-021 //	Cut Detent in Slide Stop 15
<input type="radio"/> HC-414B //	Slide Release, .45 ACP, Bullet Proof®, Blue 85
<input type="radio"/> HC-414S //	Slide Release, .45 ACP, Bullet Proof®, Stainless 90
<input type="radio"/> HC-613B //	Semi-Extended Slide Release, .45 ACP, Bullet Proof®, Blue 85
<input type="radio"/> HC-613S //	Semi-Extended Slide Release, .45 ACP, Bullet Proof®, Stainless 90
<input type="radio"/> HC-613BS //	Semi-Extended Slide Release, .38 Super/9mm, Bullet Proof®, Blue 85
<input type="radio"/> HC-613SS //	Semi-Extended Slide Release, .38 Super/9mm, Bullet Proof®, Stainless 90
<input type="radio"/> HC-414BS //	Slide Release, .38 Super/9mm, Bullet Proof®, Blue 85
<input type="radio"/> HC-414SS //	Slide Release, .38 Super/9mm, Bullet Proof®, Stainless 90
<input type="radio"/> HC-020 //	Test Fire and Inspection 60
<input type="radio"/> HC-ZERO //	Sight in Handgun with Wilson Combat Ammunition - Specify Ammo: _____ 70

### \*RELIABILITY PACKAGES

Includes: polish feed ramp/throat barrel and breach face, adjust extractor, check clearance, install recoil spring, tighten ejector, check chamber depth and adjust if necessary. 70 Series includes lower and flare black ejection port as well.

## MARKING OPTIONS

	\$
<input type="radio"/> ARTWORK SLIDE LEFT //	Artwork, Laser Engraving, Special Art, Left Side of Slide 100
<input type="radio"/> ARTWORK SLIDE RT //	Artwork, Laser Engraving, Special Art, Right Side of Slide 100
<input type="radio"/> ARTWORK DUST LEFT //	Artwork, Laser Engraving, Special Art, Left Side of Dustcover 100
<input type="radio"/> ARTWORK DUST RT //	Artwork, Laser Engraving, Special Art, Right Side of Dustcover 100
<input type="radio"/> HC-ENGRAVE1 //	Wayne D'Angelo Hand Engraving, Level 1, Includes Prep and Refinish 1,215
<input type="radio"/> HC-ENGRAVE2 //	Wayne D'Angelo Hand Engraving, Level 2, Includes Prep and Refinish 1,750
<input type="radio"/> HC-ENGRAVE3 //	Wayne D'Angelo Hand Engraving, Level 3, Includes Prep and Refinish 2,300
<input type="radio"/> HC-ENGRAVE-INT //	Wayne D'Angelo Hand Engraving, Initials - Must be in conjunction with Level 1, 2, or 3 Engraving 120



# À LA CARTE

## GUIDE RODS

○ HC-25G	Full-Length Guide Rod, Full-Size, Includes Plug	\$ 55
○ HC-25C	Full-Length Guide Rod, Commander, Includes Plug	\$ 55
○ HC-25CO	Full-Length Guide Rod, Officer's, Includes Reverse Plug	\$ 65
○ HC-25RG	Full-Length Guide Rod, Full-Size, Includes Reverse Plug	\$ 65
○ HC-148,5	Two-Piece Guide Rod, Full-Size, Includes Plug	\$ 65
○ HC-316G	Complete Spring Set, Full-Size	\$ 35
○ HC-316CP	Complete Spring Set, Compact	\$ 35
○ HC-614	Flat-Wire Recoil Spring Kit, Full-Size, .45 ACP	\$ 30
○ HC-651	Flat-Wire Recoil Spring Kit, 4" Compact, .45 ACP	\$ 60
○ HC-773	Flat-Wire Recoil Spring Kit, Full-Size, 9mm	\$ 30
○ HC-784	Flat-Wire Recoil Spring Kit, 4" Compact, 9mm	\$ 60
○ HC-RSP	Bullet Proof® Recoil Spring Plug - Plug Choice: _____	\$ 20
○ HC-RPC	Reverse Plug Cut	\$ 75

**Plug Choices:** Reverse Plug or  
 (Pick Carbon or Stainless) Flat Cap, Flat Cap Long, Ringed Cap, Ringed Cap Long or  
 (Bull Barrel Supported, Pick Carbon or Stainless) Open End, Closed End

## MISC FRAME WORK

○ HC-31TBP	Magazine Release, Tactical, Bullet Proof®, Blue	\$ 45
○ HC-31TSBP	Magazine Release, Tactical, Bullet Proof®, Stainless	\$ 47
○ HC-31B	#31B   Magazine Release, Extended, Blue	\$ 45
○ HC-31S	#31S   Magazine Release, Extended, Stainless	\$ 47
○ HC-673B	Magazine Release, Concealment, Bullet Proof®, Blue	\$ 45
○ HC-673S	Magazine Release, Concealment, Bullet Proof®, Stainless	\$ 47
○ HC-022	Countersunk Slide Stop Post	\$ 60
○ HC-024	Contour Magazine Well	\$ 100
○ HC-626B	Bullet Proof® One-Piece Magazine Well, Full-Size, Blue*	\$ 215
○ HC-626S	Bullet Proof® One-Piece Magazine Well, Full-Size, Stainless*	\$ 220
○ HC-627BRB	Bullet Proof® One-Piece Magazine Well, Full-Size, Round Butt, Blue*	\$ 215
○ HC-627SRB	Bullet Proof® One-Piece Magazine Well, Full-Size, Round Butt, Stainless*	\$ 220
○ HC-627ARB	Bullet Proof® One-Piece Magazine Well, Full-Size, Round Butt, Aluminum*	\$ 215
○ HC-627BCRB	Bullet Proof® One-Piece Magazine Well, Compact, Round Butt, Blue*	\$ 215
○ HC-627SCRB	Bullet Proof® One-Piece Magazine Well, Compact, Round Butt, Stainless*	\$ 220
○ HC-627ACRB	Bullet Proof® One-Piece Magazine Well, Compact, Round Butt, Aluminum*	\$ 215
○ HC-025	Round Butt Frame and Mainspring Housing	\$ 175
○ HC-MSH	Mainspring Housing, Installed	\$ 105
○ HC-HIGHGRIP	Ryan Wilson Style High Grip Frame Modification	\$ 125
○ HC-458B	Plunger Tube, Bullet Proof®, Blue	\$ 43
○ HC-458S	Plunger Tube, Bullet Proof®, Stainless	\$ 44
○ HC-627ASRB	Bullet Proof Magazine Well, Sentinel, Round Butt, Aluminum	\$ 220
○ HC-627ASXTRB	Bullet Proof Magazine Well, Sentinel, Round Butt, X-TAC, Aluminum	\$ 220
○ HC-627BSRB	Bullet Proof Magazine Well, Sentinel, Round Butt, Blue.	\$ 215
○ HC-627BSXTRB	Bullet Proof Magazine Well, Sentinel, Round Butt, X-TAC, Blue	\$ 215
○ HC-627SSRB	Bullet Proof Magazine Well, Sentinel, Round Butt, Stainless	\$ 215
○ HC-627SSXTRB	Bullet Proof Magazine Well, Sentinel, Round Butt, X-TAC, Stainless	\$ 220

\*One-Piece Magwell cannot be added to Round Butt or Bobtail® Frames







# À LA CARTE

## GRIP OPTIONS

	\$
○ HC-351X // Grip Change - Specify Grips:	80
○ HC-351MB // Wilson Combat Grip Medallion, Black, Set of 2	35
○ HC-351MG // Wilson Combat Grip Medallion, Gold Plated, Set of 2	75
○ HC-351MSS // Wilson Combat Grip Medallion, Sterling Silver, Set of 2	70
○ HC-351MTT // Wilson Combat Grip Medallion, Two-Tone, Set of 2	80
○ HC-313B // Grip Screws, Hex Head, Blue, Set of 4	8
○ HC-313S // Grip Screws, Hex Head, Stainless, Set of 4	9
○ HC-312B // Grip Screws, Torx Head, Blue, Set of 4	9
○ HC-312S // Grip Screws, Torx Head, Stainless, Set of 4	10
○ HC-684B // Grip Screw Bushing, Blue, Set of 4	20
○ HC-684S // Grip Screw Bushing, Stainless, Set of 4	20
○ HC-NW464 // Challis Hex Head Grip Screw Bushings, Carbon	17
○ HC-NW464S // Challis Hex Head Grip Screw Bushings, Stainless	17
○ HC-NW465BO // Challis Grip Screw Bushing O-Rings	3
○ HC-NW465SO // Challis Screw O-Rings	3
○ HC-NW479 // Challis Grips Slim Hex Drive Bushing, Blue	17
○ HC-NW479S // Challis Grips Slim Hex Drive Bushing, Stainless	17
○ HC-CTLGCP // Crimson Trace Laser Grips, Compact, Front Activate	300
○ HC-CTLGCP-CF // Crimson Trace Laser Grips, Carbon Fiber, Compact, Front Activate	350
○ HC-CTLGFS // Crimson Trace Laser Grips, Full-Size, Front Activate	300
○ HC-CTLGFS-CF // Crimson Trace Laser Grips, Carbon Fiber, Full-Size, Front Activate	350
○ HC-CTLGFS-RW // Crimson Trace Laser Grips, Rosewood, Full-Size, Front Activate	400
○ HC-CTLGFS-W // Crimson Trace Laser Grips, Walnut, Full-Size, Front Activate	400
○ HC-601B // Grip Screws, Slim Line, Torx Head, Blue	10
○ HC-601S // Grip Screws, Slim Line, Torx Head, Stainless	11

\*Back Straps can be any of our Armor-Tuff® colors

## CARRY OPTIC OPTIONS (X9 & WC 1911)

	\$
○ HC-CCO // Slide Cut for Carry Optic	175
○ HC-COM // True Zero Optic Mount w/o Rear Sight	75
○ HC-COMS // True Zero Carry Optic Mount w/ Rear Sight	125
○ HC-NW528 // Install NW528 Leupold DeltaPoint Pro 2.5 MOA Dot	400
○ HC-NW583 // Install NW583 Leupold DeltaPoint Pro Rear Iron Sight	70
○ HC-NW592 // Install NW592 Trijicon RMR Type 2 Adjustable LED Sight 3.25 MOA	552
○ HC-NW594 // Install NW594 Trijicon RMR Type 2 Adjustable LED Sight 6.5 MOA	552
○ HC-NW686 // Install NW686 Aimpoint ACRO P-1 3.5 MOA	595
○ HC-NW687 // Install NW687 Trijicon SRO Sight Adjustable LED 2.5 MOA Red Dot	650
○ HC-NW688 // Install NW688, Trijicon SRO Sight Adjustable LED 5.0 MOA Red Dot	650
○ HC-367TFOG // Snag Free Front Sight, Tall Fiber Optic Green	80
○ HC-367FOR // Snag Free Front Sight, Tall Fiber Optic Red	80
○ HC-367TTF // Snag Free Front Sight, Tall Tritium	90
○ HC-X9TFOR // Snag Free Front Sight, Tall Fiber Optic Red	60
○ HC-X9TFOG // Snag Free Front Sight, Tall Fiber Optic Green	60
○ HC-X9TTF // Snag Free Front Sight, Tall Tritium	75
○ HC-EDCFSCP // Install Front Sight Cover Plate on EDC	15



# EDC X9 OPTIONS

## OPTIONS

<input type="radio"/> HC-850FOG	Green Fiber Front Sight	\$ 60
<input type="radio"/> HC-850FOR	Red Fiber Front Sight	60
<input type="radio"/> HC-850GB	Gold Bead Front Sight	85
<input type="radio"/> HC-850TF	Tritium Front Sight	75
<input type="radio"/> HC-851L	Large Back Strap. Specify Color: _____	150
<input type="radio"/> HC-851S	Small Back Strap. Specify Color: _____	150
<input type="radio"/> HC-853BC	Black Cherry Grips	115
<input type="radio"/> HC-853BLK	Black Grips	115
<input type="radio"/> HC-853DO	Dirty Olive Grips	115
<input type="radio"/> HC-853GB	Gray/Black Grips	115
<input type="radio"/> HC-856	Extractor Pin & Spring	25
<input type="radio"/> HC-857	Recoil Spring	25
<input type="radio"/> HC-X9AS	Ambidextrous Thumb Safety	160
<input type="radio"/> HC-858SS	Single Side Thumb Safety	75
<input type="radio"/> HC-X9TR-L	Long Trigger	110
<input type="radio"/> HC-X9TR-M	Medium Trigger	110
<input type="radio"/> HC-X9TR-S	Short Trigger	110
<input type="radio"/> HC-X9MGE	Magwell/Grip Extension (includes frame refinish)	200
<input type="radio"/> HC-X9SSSP	Replace Small Parts w/Stainless Steel Small Parts	500
<input type="radio"/> HC-X9TR-FLW	Trigger, Flat Pad Lightweight	110
<input type="radio"/> HC-X9TR-LLW	Trigger, Long Pad Lightweight	110
<input type="radio"/> HC-X9TR-MLW	Trigger, Medium Pad Lightweight	110
<input type="radio"/> HC-X9MGE	Magwell/Grip Extension (includes standard Armor-tuff frame refinish. Specify color: _____)	200
<input type="radio"/> HC-EDCRTTPS	Reverse Two-Tone, EDC Models ONLY   Stainless Slide, AT/Polish Sides of Slide, AT Frame, Specify Color: _____	350

notes: \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

