

## SHIP TO:

Wilson Combat  
Attn. Glock Custom Work  
2452 CR 719  
Berryville, AR 72616

---

# HOW TO:

Please send this form, with your firearm, to the address listed above. We will not process form alone. We will call you to discuss all options and to let you know your firearm arrived safely. Please note it can take a day for your firearm to make it through our log in and receiving procedure. On the form, please check the circle to the left of the items or package you would like to select, and fill in the optional questions if applicable.

# TERMS:

- \*We will not work on firearms that have been previously modified by anyone other than the Wilson Combat Custom Shop.
- \*Any and all work performed is up to the discretion of the Custom Shop Manager.
- \*Please do not send items not necessary for custom work. Example: Gun rugs or cases, bushing wrenches, magazines, etc.
- \*All weapons left in care of the shop are done so at your own risk.
- \*Due to Federal Regulations - customers' firearms must be returned to the address from which they were received.
- \*If you have a change of address, written request for such change is required.
- \*If your firearm is shipped from an FFL dealer, it must be returned to the same FFL dealer.
- \*Minimum Custom Work order is \$100. If work requested is under this amount, the invoice will be adjusted accordingly.
- \*If your firearm is being customized in a way that includes machining or mill work then you are required to purchase a refinish.
- \*Quoted lead times on custom work are approximations. We do our best to adhere to time frames but with all true firearm customizations, these times can vary. Please be patient while your custom work is completed as we are working diligently.

DISCLAIMER: "GLOCK" is a federally registered trademark of GLOCK, Inc. and is one of many trademarks owned by GLOCK, Inc. or GLOCK Ges.m.b.H. Neither Wilson Combat, nor this site are affiliated in any manner with, or otherwise endorsed by, GLOCK, Inc. or GLOCK Ges.m.b.H. The use of "GLOCK" on this page is merely to advertise the sale of GLOCK pistols, parts, or components. For genuine GLOCK, Inc. and GLOCK Ges.m.b.H products and parts visit [www.glock.com](http://www.glock.com).

**CUSTOMER NAME:** \_\_\_\_\_ **EMAIL:** \_\_\_\_\_

**ADDRESS:** \_\_\_\_\_ **CITY:** \_\_\_\_\_

**STATE:** \_\_\_\_\_ **ZIP CODE:** \_\_\_\_\_ **PHONE:** \_\_\_\_\_

**CREDIT CARD NUMBER:** \_\_\_\_\_ **CVC:** \_\_\_\_\_ **EXP DATE:** \_\_\_\_\_

**GLOCK MODEL:** \_\_\_\_\_ **SERIAL NUMBER:** \_\_\_\_\_



# À LA CARTE

## FINISHES ALL GENERATIONS

	\$
<input type="radio"/> GLK-ATS BB	Armor-Tuff, Burnt Bronze Slide 100
<input type="radio"/> GLK-ATS BLK	Armor-Tuff, Black Slide 100
<input type="radio"/> GLK-ATS G	Armor-Tuff, Gray Slide 100
<input type="radio"/> GLK-ATS GN	Armor-Tuff, Green Slide 100
<input type="radio"/> GLK-ATS FDE	Armor-Tuff, Flat Dark Earth Slide 100
<input type="radio"/> GLK-ATS FB	Armor-Tuff, Federal Brown Slide 100
<input type="radio"/> GLK-CTS BB/BLK	Combat-Tuff, Slide 160
<input type="radio"/> GLK-CTS FDE/BLK	Combat-Tuff, Slide 160
<input type="radio"/> GLK-CTS SLV/BLK	Combat-Tuff, Slide 160
<input type="radio"/> GLK-CTS SLV/GN	Combat-Tuff, Slide 160
<input type="radio"/> GLK-CTS WHT/BLK	Combat-Tuff, Slide 160
<input type="radio"/> GLK-CTS WHT/GN	Combat-Tuff, Slide 160
<input type="radio"/> GLK-CTF BB/BLK	Combat-Tuff, Frame 235
<input type="radio"/> GLK-CTF FDE/BLK	Combat-Tuff, Frame 235
<input type="radio"/> GLK-CTF SLV/BLK	Combat-Tuff, Frame 235
<input type="radio"/> GLK-CTF SLV/GN	Combat-Tuff, Frame 235
<input type="radio"/> GLK-CTF WHT/BLK	Combat-Tuff, Frame 235
<input type="radio"/> GLK-CTF WHT/GN	Combat-Tuff, Frame 235
<input type="radio"/> GLK-CTP BB/BLK	Combat-Tuff, Pistol 350
<input type="radio"/> GLK-CTP FDE/BLK	Combat-Tuff, Pistol 350
<input type="radio"/> GLK-CTP SLV/BLK	Combat-Tuff, Pistol 350
<input type="radio"/> GLK-CTP SLV/GN	Combat-Tuff, Pistol 350
<input type="radio"/> GLK-CTP WHT/BLK	Combat-Tuff, Pistol 350
<input type="radio"/> GLK-CTP WHT/GN	Combat-Tuff, Pistol 350
<input type="radio"/> GLK-OXIDIZE	Oxidized, Slide (must be in conjunction with combat tuff finish on slide) 75
<input type="radio"/> GLK-FCAMO-P	Armor-Tuff, Forest Camo, Green Base, Complete Pistol 75
<input type="radio"/> GLK-FCAMO-F	Armor-Tuff, Forest Camo, Green Base, Frame 50
<input type="radio"/> GLK-FCAMO-S	Armor-Tuff, Forest Camo, Green Base, Slide 50
<input type="radio"/> GLK-CAMO-FDE	Armor-Tuff, Flat Dark Earth Camo Slide 200
<input type="radio"/> GLK-CAMO-G	Armor-Tuff, Gray Camo Slide 200
<input type="radio"/> GLK-CAMO-GN	Armor-Tuff, Green Camo Slide 200

*\*Due to color variations in wear patterns we cannot guarantee armor-tuff color match unless entire pistol is finished at the same time.*

## MARKINGS ALL GENERATIONS

	\$
<input type="radio"/> GLK-ARTWORK SLIDE LEFT	Artwork, Laser Engraving, Special Art, Left Side of Slide 100
<input type="radio"/> GLK-ARTWORK SLIDE RIGHT	Artwork, Laser Engraving, Special Art, Right Side of Slide 100
<input type="radio"/> GLK-LOGO	Laser Etch Wilson Combat Logo on Slide Top 50



# À LA CARTE

## CARRY OPTIC OPTIONS

	\$
○ GLK-CCO /// Slide Cut of Carry Optic	150
○ GLK-COM /// True Zero Optic Mount without Rear Sight (Mount is not needed for Delta Point)	75
○ GLK-FSCP /// Install Front Sight Cover Plate for Glock's with Carry Optics (NO IRON SIGHTS)	15
○ GLK-COMS /// True Zero Optic Mount with Rear Sight (Mount is not needed for Delta Point)	125
○ GLK-NW528 /// #NW528   Install Leupold Delta Point Pro on Glock Pistol	400
○ GLK-NW583 /// #NW583   Install Leupold DeltaPoint Rear Sight on Glock Pistol	70
○ GLK-NW592 /// #NW592   Install Trijicon RMR® 3.24 MOA on Glock Pistol	552
○ GLK-NW594 /// #NW594   Install Trijicon RMR® 6.5 MOA on Glock Pistol	552
○ GLK-NW686 /// Install NW686 Aimpoint ACRO P-1 3.5 MOA	595
○ GLK-NW687 /// Install NW687 Trijicon SRO Sight Adjustable LED 2.5 MOA Red Dot	650
○ GLK-NW688 /// Install NW687 Trijicon SRO Sight Adjustable LED 5.0 MOA Red Dot	650
○ GLK-668TFOG /// Tall Snag-Free Front Sight for Glock, Green Fiber	65
○ GLK-668TFOR /// Tall Snag-Free Front Sight for Glock, Red Fiber	65
○ GLK-668TTF /// Tall Snag-Free Front Sight for Glock, Tritium	70

## SIGHTS

	\$
○ GLK-669B /// Battlesight, Black Serrated	80
○ GLK-669T /// Battlesight, Tritium	125
○ GLK-933B /// Wilson Combat Battlesight, Black Serrated, U-Notch	80
○ GLK-933BSQ /// Wilson Combat Battlesight, Black Serrated, Square Notch	80
○ GLK-668FOG /// Snag Free Front, Fiber Optic Green	65
○ GLK-668FOR /// Snag Free Front, Fiber Optic Red	65
○ GLK-668TF /// Snag Free Front, Tritium	75
○ GLK-668GB /// Snag Free Front, Gold Bead	100
○ GLK-668BF /// Snag Free Front, Black Serrated	50
○ GLK-892OT /// Snag Free Front, Orange Tritium	95
○ GLK-892GT /// Snag Free Front, Green Tritium	95
○ GLK-759B /// GLOCK® 42/43/43X/48, Battlesight, Black Serrated	80
○ GLK-759T /// GLOCK® 42/43/43X/48, Battlesight, Tritium	125
○ GLK-760FOG /// GLOCK® 42/43/43X/48, Snag Free Front, Fiber Optic Green	65
○ GLK-760FOR /// GLOCK® 42/43/43X/48, Snag Free Front, Fiber Optic Red	65
○ GLK-760TF /// GLOCK® 42/43/43X/48, Snag Free Front, Tritium	75
○ GLK-760GB /// GLOCK® 42/43/43X/48, Snag Free Front, Gold Bead	100
○ GLK-760BF /// GLOCK® 42/43/43X/48, Snag Free Front, Black Serrated	50

## MISC OPTIONS

	\$
○ GLK-798G-MW /// Install Extra Power Magazine Spring, Music Wire for GLOCK® 17/22	8
○ GLK-798G-CS /// Install Extra Power Magazine Spring, Chrome Silicon for GLOCK® 17/22	10
○ GLK-848 /// Install Extra Power Magazine Spring, Music Wire, For GLOCK® 17- 33 Round Magazine	14



## SLIDE/BARREL OPTIONS

	\$
○ GLK-981G17S // Install WC Slide on GLOCK®17 (GEN 4 ONLY)	400
○ GLK-981G19S // Install WC Slide on GLOCK®19 (GEN 4 ONLY)	400
○ GLK-FCS // Front Cocking Serrations, Gen 3 - 5	75
○ GLK-SST // Slide Top Serrations, 28 LPI, Gen 3 - 5	75
○ GLK-RMC // Radius Muzzle for Carry, Gen 3 - 5	75
○ GLK-FCB // Flush Cut/Reverse Crown Barrel On Wilson Combat Barrel, Gen 3 - 5	65
○ GLK-FB // Flute Barrel on Wilson Combat Barrel	65
○ GLK-XB // X Pattern Barrel on Wilson Combat Barrel	75
○ GLK-SFB // Spiral Flute Barrel on Wilson Combat Barrel	75
○ GLK-FC // Flute Chamber on Wilson Combat Barrel	40
○ GLK-CC // Concave Chamber on Wilson Combat Barrel	50
○ GLK-SC // Serrate Chamber on Wilson Combat Barrel	50
○ GLK-BC // Beveled Chamber to Wilson Combat Barrel	65
○ GLK-FEP // Flare Ejection Port, Gen 3 - 5	65
○ GLK-379 // Install Barrel, 9mm for GLOCK® 17, 4.49" (Not on Gen 5)	180
○ GLK-767 // Install Barrel, 9mm for GLOCK® 17, 5.19" Threaded 1/2-28 (Not on Gen 5)	275
○ GLK-647 // Install Barrel, 9mm for GLOCK® 19, 4.02"	180
○ GLK-768 // Install Barrel, 9mm for GLOCK® 19, 4.72" Threaded 1/2-28	275
○ GLK-705 // Install Barrel, 9mm for GLOCK® 34, 5.32" (Not on Gen 5)	180
○ GLK-940 // Install Full-Fit Barrel for GLOCK®, 9mm, 34 (GEN 3 & 4 ONLY)	300
○ GLK-941 // Install Full-Fit Barrel for GLOCK®, 9mm, 17 (GEN 3 & 4 ONLY)	300
○ GLK-942 // Install Full-Fit Barrel for GLOCK®, 9mm, 19 (GEN 3,4,5)	300
○ GLK-943 // Install Full-Fit Barrel for GLOCK®, 9mm, 26 (GEN 3,4,5)	300
○ GLK-380 // Install Barrel, .40 S&W for GLOCK® 22, 4.49" (Not on Gen 5)	180
○ GLK-381 // Install Barrel, .45 ACP for GLOCK® 21, 4.6"	180
○ GLK-2BGL // Install Shok-Buff Recoil Buffer for GLOCK® for Gen 1,2,3 (N/A for Gen 4)	10
○ GLK-NW655 // Install Vickers Tactical Slide Racker (Gen 4)	30
○ GLK-NW656 // Install Vickers Tactical Slide Racker (Gen 5)	30
○ GLK-NW689 // Install Vickers Tactical Slide Stop (43X & 48)	30

## TRIGGER OPTIONS

	\$
○ GLK-NW532 //////////////// Install APEX GLOCK® Action Enhancement Trigger & Gen 3 Trigger Bar (Includes Trigger & Trigger Bar Only), //////////////////////////////////// 1st-4th Gen, 9mm, 40 S&W, .45 GAP, .357 SIG (N/A on G42/43)	150
○ GLK-NW533 //////////////// Install APEX Action Enhancement Kit for GLOCK® Pistols (Includes Connector, Safety, Plunger, Trigger, Trigger Bar), //////////////////////////////////// 1st – 4th Gen, 9mm, 40 S&W, .357 SIG (N/A for G42/43/19X or Any Gen 5)	180
○ GLK-NW640 //////////////// Install Apex Performance Connector	25
○ GLK-ACTION //////////////// GLOCK® Action Tune*	110
○ GLK-TA //////////////// Specify Curved or Flat //////////////////////////////////// Specify Trigger Safety: (Black/Black, Black/Blue, Blue/Black, Black/Red. Red/Black)	105

\*The Action Tune gives your Glock a lighter and smoother 3.5-4.5 lb. trigger pull with a cleaner break for improved shooting performance without reducing reliability with defensive ammunition. After careful polishing of internal parts, the factory connector is replaced with an Apex Performance connector and lighter striker and trigger return springs.



# À LA CARTE

## FRAME OPTIONS

<input type="radio"/> GLK-STP-SB	Stipple Frame, Starburst Pattern, Gen 3 - 5 (Not on G29)	\$ 139
<input type="radio"/> GLK-STP-TPR	Stipple Thumb Pad w/ Logo, Right Side, Gen 3 - 5 (Must be in conjunction with GLK-STP-SB)	20
<input type="radio"/> GLK-STP-TPL	Stipple Thumb Pad w/ Logo, Left Side, Gen 3 - 5 (Must be in conjunction with GLK-STP-SB)	20
<input type="radio"/> GLK-SHC	Single High Cut Trigger Guard, Gen 3 - 5 (N/A on 43X/48)	50
<input type="radio"/> GLK-DHC	Double High Cut Trigger Guard, Gen 3 - 5 (Not on G42/43)	100
<input type="radio"/> GLK-NW544	Install Grip Plug/Takedown Tool, Gen 3	15
<input type="radio"/> GLK-NW570	Install Grip Plug/Takedown Tool, Gen 4	20
<input type="radio"/> GLK-NW362	Install Oversized Slide Stop Gen 1 - 4	30
<input type="radio"/> GLK-NW363	Install Extended Mag Release for GLOCK®, .45 ACP	30
<input type="radio"/> GLK-NW364	Install Extended Mag Release for GLOCK® Model 17, 9mm	30
<input type="radio"/> GLK-NW365	Install Extended Mag Release for GLOCK® Gen 4	30
<input type="radio"/> GLK-NW598	Install Vickers Tactical Slide Stop For GLOCK® 42 & 43	30
<input type="radio"/> GLK-NW453	Install Extended Mag Release for GLOCK® 42 & 43 (N/A on G43X/48)	30
<input type="radio"/> GLK-NW369	Install Grip Force Adapter for GLOCK® Gen 4	27
<input type="radio"/> GLK-NW359	Install Speed Chute for GLOCK® Gen 4 models 17, 22, 24, 31, 34, and 35	40
<input type="radio"/> GLK-NW360	Install Speed Chute for GLOCK® Gen 1, 2, & 3, models 17, 22, 24, 31, 34, and 35 (N/A on G42/43)	40

## ACCESSORIES

<input type="radio"/> GLK-NW665	Install Crimson Trace Universal Rail Master Light (Light Rail Frame Only)	\$ 105
---------------------------------	---	--------

notes: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

