

SHIP TO:

Wilson Combat
Attn. Shotgun Custom Work
2452 CR 719
Berryville, AR 72616

HOW TO:

Please send this form, with your firearm, to the address listed above. We will not process form alone. We will call you to discuss all options and to let you know your firearm arrived safely. Please note it can take a day for your firearm to make it through our log in and receiving procedure. On the form, please check the circle to the left of the items or package you would like to select, and fill in the optional questions if applicable.

TERMS:

- * We will not work on firearms that have been previously modified by anyone other than the Wilson Combat Custom Shop.
- * We only work on Remington 870, 12 Gauge Models
- * Any and all work performed is up to the discretion of the Custom Shop Manager.
- * Please do not send items not necessary for custom work. Example: Gun rugs or cases, bushing wrenches, magazines, etc.
- * All weapons left in care of the shop are done so at your own risk.
- * Due to Federal Regulations - customers' firearms must be returned to the address from which they were received.
- * If you have a change of address, written request for such change is required.
- * If your firearm is shipped from an FFL dealer, it must be returned to the same FFL dealer.
- * Minimum Custom Work order is \$100. If work requested is under this amount, the invoice will be adjusted accordingly.
- * Quoted lead times on custom work are approximations. We do our best to adhere to time frames but with all true firearm customizations, these times can vary. Please be patient while your custom work is completed as we are working diligently.

CUSTOMER NAME: _____ **EMAIL:** _____

ADDRESS: _____ **CITY:** _____

STATE: _____ **ZIP CODE:** _____ **PHONE:** _____

CREDIT CARD NUMBER: _____ **CVC:** _____ **EXP DATE:** _____

1911 MODEL: _____ **SERIAL NUMBER:** _____



À LA CARTE

REMINGTON STEAL

	\$
○ SREBUILD ////////////////////////////////////// Rebuild 870	229.95
○ SREBILDA ////////////////////////////////////// Rebuild 870, Armor Tuff	385
○ SREBILDT ////////////////////////////////////// Rebuild 870, Trak-Lock Sights (bead base), Tritium	380
○ SREBILDTA ////////////////////////////////////// Rebuild 870, Armor Tuff/Track Lock Sights, Tritium	474.95

RETRO FIT CUSTOMER SUPPLIED

	\$
○ SSTD C-A ////////////////////////////////////// Standard Model, Armor Tuff	1,180
○ SSTD C-AS ////////////////////////////////////// Standard Model, Short Buttstock/Armor Tuff	1,195
○ SBPC-A ////////////////////////////////////// Border Patrol 18" Armor Tuff	755
○ SBPC-AS ////////////////////////////////////// Border Patrol 18" Short Buttstock/Armor Tuff	770
○ SBPC-CA ////////////////////////////////////// Border Patrol 14" Armor Tuff (NFA)	785
○ SBPC-CAS ////////////////////////////////////// Border Patrol 14" Short Buttstock/Armor Tuff (NFA)	800
○ SPROC-A ////////////////////////////////////// Professional Armor Tuff (NFA)	1,190
○ SPROC-AS ////////////////////////////////////// Professional Short Buttstock/Armor Tuff (NFA)	1,205
○ SC-CQBSC ////////////////////////////////////// CQB Shotgun Conversion	1,200

MAGAZINE TUBE EXTENSIONS

	\$
○ SC-SGET-RH-1 ////////////////////////////////////// Extension Tube, Right Hand, 1 Shot, 12 Gauge	60
○ SC-SGET-RH-2 ////////////////////////////////////// Extension Tube, Right Hand, 2 Shot, 12 Gauge	60
○ SC-SGET-LH-1 ////////////////////////////////////// Extension Tube, Left Hand, 1 Shot, 12 Gauge	60
○ SC-SGET-LH-2 ////////////////////////////////////// Extension Tube, Left Hand, 2 Shot, 12 Gauge	60
○ SC-SGET-U-2 ////////////////////////////////////// Extension Tube, 2 Shot, 12 Gauge	60
○ SC-SGET-QDS-U-1 ////////////////////////////////////// Extension Tube, Quick Detach Stud, 1 Shot, 12 Gauge	60
○ SC-SGET-V-1 ////////////////////////////////////// Extension Tube, Vertical, 1 Shot, 12 Gauge	60
○ SC-SGET-V-2 ////////////////////////////////////// Extension Tube, Vertical, 2 Shot, 12 Gauge	60
○ SC-SGET-QDS-V-1 ////////////////////////////////////// Extension Tube, Quick Detach Stud, Vertical, 1 Shot, 12 Gauge	60
○ SC-SGET-QDS-V-2 ////////////////////////////////////// Extension Tube, Quick Detach Stud, 2 Shot, 12 Gauge	60
○ SC-SG-HVF ////////////////////////////////////// Follower, High Visibility, 12 Gauge	10
○ SC-SG-HVF20 ////////////////////////////////////// Follower, High Visibility, 20 Gauge	10
○ SC-SGSFK-EX ////////////////////////////////////// Spring & Follower Kit, Extension Tube, 12 Gauge	15
○ SC-SGSFK-ST ////////////////////////////////////// Spring & Follower Kit, Standard Tube, 12 Gauge	15
○ SC-SGSP-1-12 ////////////////////////////////////// Spring, Magazine Tube, 1 Shot Extension, 12 Gauge	11
○ SC-SGSP-2-12 ////////////////////////////////////// Spring, Magazine Tube, 2 Shot Extension, 12 Gauge	11
○ SC-SGET-WAVE ////////////////////////////////////// Extension Tube, Wave Washer	5



À LA CARTE

SIGHTS

	\$
○ SC-SGTL2-TFR-12 // Trak-Lock Tritium Front and Rear (Bead Base)	165
○ SC-SGTL2-TF-12 // Trak-Lock Tritium Front (Bead Base)	140
○ SC-SGTL2-TF-12 RS // Trak-Lock Tritium Front (Rifle Sight Barrel)	185
○ SC-SGTL2-TF-12RO // Trak-Lock® II Ghost Ring Rear Sight, 12 Gauge	115
○ SC-SGTL2-FOG-12 // Trak-Lock® II Ghost Ring Sight Set, 12 Gauge, Green Fiber Optic Front	140
○ SC-SGTL2-FOR-12 // Trak-Lock® II Ghost Ring Sight Set, 12 Gauge, Red Fiber Optic Front	140
○ SC-SGTL2-FOG-12FO // Trak-Lock® II Front Sight, 12 Gauge, Green Fiber Optic	70
○ SC-SGTL2-FOR-12FO // Trak-Lock® II Front Sight, 12 Gauge, Red Fiber Optic	70
○ SC-SGTL2-FOGM-12 // Trak-Lock® II Ghost Ring Sight Set, 12 Gauge, .735" Green Fiber Optic Front for 14" Barrel	140
○ SC-SGTL2-FORM-12 // Trak-Lock® II Ghost Ring Sight Set, 12 Gauge, .735" Red Fiber Optic Front for 14" Barrel	140
○ SC-SGTL2-TFM-12 // Trak-Lock® II Ghost Ring Sight Set, 12 Gauge, .735" Tritium Front for 14" Barrels	140
○ SC-SGTL2-TFT-12 // Trak-Lock® II Ghost Ring Sight Set, 12 Gauge, .785" Tritium Front for 12.5" Barrels	140
○ SC-SGRST2 // Trak-Lock® II Ghost Ring Rear Sight, 12 Gauge, Tritium	115
○ SC-SGTL2-TF-20RO // Trak-Lock® II Ghost Ring Rear Sight, 20 Gauge	100
○ SC-SGTL2-TF-12FO // Trak-Lock® II Front Sight, 12 Gauge, Tritium	75
○ SC-SG-IBB // Install Bead and Base	45
○ SC-SG-CRS // Convert Rifle Sights to Bead Sights	60

OPTICS

	\$
○ SC-NW528 // Leupold DeltaPoint Pro, 2.5 MOA Dot (MUST use with SC-NW580 Mount)	400
○ SC-NW580 // Leupold DeltaPoint Pro Cross Slot Mount	100
○ SC-NW545 // Aimpoint Micro H-2, 2 MOA, Standard Mount	731
○ SC-NW329 // Aimpoint Micro T-1, 2 MOA, Standard Mount	734
○ SC-NW452 // Aimpoint Micro T-2, 2 MOA, Standard Mount	793
○ SC-NW308 // Aimpoint Comp M4s, 2 MOA, QRP2 Mount	880
○ SC-NW591 // Aimpoint Comp M5, 2 MOA, with Standard Mount	838
○ SC-NW579 // Holosun HS503GU Red Dot Sight	242
○ SC-NW590 // Holosun HS515GM Red Dot Sight	370

ACTION/BARREL WORK

	\$
○ SC-SG-RTG // Rebuild Trigger Group	50
○ SC-SG-SIC // Screw-in Choke Tube (includes modified tube)	75
○ SC-SG-SB // Shorten Barrel (12" NFA, 14" NFA, 18")	20
○ SC-SGVCS // Vang Comp Porting System	255
○ SC-SG-CC // Convert to 3" Chamber (Refinish Required)	45
○ SC-SG-IPR // Receiver Rail Picatinny	150



À LA CARTE

BUTTSTOCKS/FORENDS

	\$
○ SC-SGFE-SF-870 // Lighted Fore End, Surefire	400
○ SC-NW633 // Magpul MOE M-LOK Forend, Rem. 870, Black	49
○ SC-NW634 // Magpul SGA Stock, Rem. 870, Black	125
○ SC-SGAK // Shotgun Receiver Assembly for Adjustable Stock	165
○ SC-NW515 // Limbsaver AR-15/M4 Snap-On Recoil Pad, Black	45
○ SC-SGPGSK // Knoxx Spec Ops Stock	190
○ SC-SGPGS // Collapsible Pistol Grip Stock	170
○ SCTR-SUPERSTOC // Super-Stoc Carbine Buttstock, Black	75
○ SCTR-SUPERSTOC-FDE // Super-Stoc Carbine Buttstock, FDE	75
○ SCTR-EGB // Ergo Grip, Black	28
○ SC-NW632 // Mission First Tactical Grip	18
○ SC-NW635 // Hogue Rubber Grip, Beavertail, No Finger Grooves, Black	22
○ SC-NW636 // Hogue Rubber Grip, Beavertail, Finger Grooves, Black	22
○ SC-SGPG-HT // Pistol Grip Assembly, Hogue, Black Rubber Overmold	50
○ SC-SGFE-HFE // Forend, Hogue, Black Rubber Overmold	47
○ SC-SGFE-HLL // Less Lethal Forend, Hogue, Orange Rubber Overmold	50
○ SC-SGBS-HLL // Less Lethal Buttstock Assembly, Hogue, Standard, Orange Rubber Overmold	90
○ SC-SGBS-HLLS // Less Lethal Buttstock Assembly, Hogue, Short, Orange Rubber Overmold	100
○ SC-SGBS-HSH // Buttstock Assembly, Hogue, Short, Black Rubber Overmold	90
○ SC-SGBS-HST // Buttstock Assembly, Hogue, Standard, Black Rubber Overmold	80

SHELL CARRIERS

	\$
○ SC-SGSS-U-4 // Sidesaddle, Four Shot	40
○ SC-SGSS-U-6 // Sidesaddle, Six Shot	42
○ SC-NW508 // Mesa Tactical SureShell Carrier, 6 Round, Left Side, Polymer	47
○ SC-NW125 // Mesa Tactical SureShell Carrier, 6 Round, Left Side, Aluminum	75
○ SC-NW126 // Mesa Tactical SureShell Carrier, 4 Round, Left Side, Aluminum	70
○ SC-NW127 // Mesa Tactical SureShell Carrier, 4 Round, Right Side, Aluminum	70
○ SC-NW513 // Aridus Industries Quick Detach Carrier, 6 Round, Rem. 870/1100/1187 // Left Side, Aluminum, Install on Customer Shotgun	175

SAFETIES

	\$
○ SC-SGJHS // Jumbo Head Safety	30
○ SC-SGDHS // Dome Head Safety	30
○ SC-SG-LHS // Convert to Left-Hand Safety (LABOR ONLY)	5



À LA CARTE

SLINGS/SLING MOUNTS

○ SC-SGSMP-S-870	////////////////////////////////////	Sling Mount Plate, Side, Rem. 870	\$ 15
○ SC-SGSMP-S-1187	////////////////////////////////////	Sling Mount Plate, Side, Rem. 1187	15
○ SC-SGSMP-V-870	////////////////////////////////////	Sling Mount Plate, Vertical, Rem. 870	15
○ SC-SGSMP-V-1187	////////////////////////////////////	Sling Mount Plate, Vertical, Rem. 1187	15
○ SC-NW304	////////////////////////////////////	Blue Force Gear Vickers Combat Applications Sling, Black	45
○ SC-NW305	////////////////////////////////////	Blue Force Gear Vickers Combat Applications Padded Sling, Black	55
○ SC-NW306	////////////////////////////////////	Blue Force Gear Vickers Combat Applications Sling, Coyote Brown	45
○ SC-NW307	////////////////////////////////////	Blue Force Gear Vickers Combat Applications Padded Sling, Coyote Brown	55
○ SC-QDPBSS	////////////////////////////////////	Heavy Duty Push Button Quick Detach Sling Swivel	15
○ SC-SGSSW-NUT	////////////////////////////////////	Buttstock Sling Swivel, Machine Thread & Lock Nut	9
○ SC-SGSSW-STD	////////////////////////////////////	Buttstock Sling Swivel, Wood Thread	6

notes: _____

